Edition Date: 2016-11-16 **Revision Date:** 2019-02-13

Revised by: Annette Roy, QA Coordinator

Page 1 / 2

Product Name: Vacucap[™] Tube Closures

Catalogue No.: T402-16 Series

This document replaces any previous version

1. **Product Description:**

Vacucap[™] Tube Closure for 16 mm Tube: Non sterile, and disposable.

- > Available Colors:
 - Natural, Blue, Green, Gray, Lavender, Red and Yellow
- 2. Packaging:

Case: 1 000 units in a package / 6 000 units per case

3. **Product Specifications:**

- Material: Polyethylene;
- Temperature range: -80°C to +80°C;
- Not autoclavable;
- Fit on 13 mm glass test tubes and plastic culture tubes;

Standards and Conformity: 4.

> ISO 2859-1: Sampling and inspection procedures > FDA: Resin conforms to FDA 21 CFR 177.1520 > CONEG: Plastics and colorants are in conformity with CONEG standards for heavy metals

5. **Quality Assurance:**

- Clear, no presence of contamination in plastic;
- Visual attributes:
- Dimension measurements;
- Closure verification.

6. Traceability:

Lot No. Composition: 8 to 9 digits

The lot number can be found in one or all of these locations:

- 1. On exterior case label;
- On label inserted inside the master case; 2.
- On the inner bag.

Document Template: FRM-106 Rev00 Technical Data Sheet

Issue Date: 2016-04-26

Edition Date: 2016-11-16 **Revision Date:** 2019-02-13

Revised by: Annette Roy, QA Coordinator

7. Storage Conditions:

- Store at room temperature in normal warehouse conditions;
- Avoid temperature variations and humidity;
- Protect from any possible contamination;
- Protect from any damage to the packaging.

8. Recommended Use:

> Follow chemical resistance chart recommendations.

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Document Template: FRM-106 Rev00 Technical Data Sheet

Issue Date: 2016-04-26