

TECHNICAL DATA SHEET

PRODUCT DESCRIPTION

PRODUCT CODE	142C.USE ETLAL
GENERAL DESCRIPTION	TRANS AMIES LQ A/ALL 500PKG
DETAILED DESCRIPTION	1 box contain 10 Vi-Pak, each composed of 50 film-film pouches each containing 1 tube with white cap without receptacle filled with 1.2ml of liquid Amies Medium and 1 alluminum swab with rayon tip and orange cap.

PRODUCT COMPONENTS

MEDIUM	COMPOSITION
	Sodium Glycerophosphate Calcium Chloride Mercaptoacetic Acid Distilled water

		SPECIFICATIONS
TRANSPORT TUBE	TUBE	TUBE LENGTH: 154.50 mm ± 1.00 mm INSERTION DIAMETER: 9.00 mm ± 0.50 mm EXTERNAL DIAMETER: 12.00 mm ± 0.50 mm MATERIAL: POLYPROPYLENE
		SPECIFICATIONS
SPONGE	SPONGE	LENGTH: 37.50 mm + 2.00 mm -1.50 mm WIDTH: 10.00 mm ± 0.50 mm THICKNESS: 5.00 mm ± 0.50 mm MATERIAL: POLYURETHANE

This bulletin (Rev.03-29/06/2020) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.

Ref GBO : ETLAL





TECHNICAL DATA SHEET

		SPECIFICATIONS
САР	WHITE CAP W/O RECEPTACLE	EXTERNAL DIAMETER: 12.00 mm ± 0.10 mm CAP LENGTH: 32.80 mm ± 0.20 mm INSERTION DIAMETER: 9.00 mm +0.05 mm MATERIAL: HIGH DENSITY POLYETHYLENE
		SPECIFICATIONS
APPLICATOR	ALUMINIUM APPLICATOR	STICK DIAMETER: 0.90 mm ± 0.10 mm FIBER TIP DIAMETER: 3.00 mm ± 0.50 mm FIBRE TIP LENGTH: 15.00 mm ± 2.00 mm TOTAL LENGTH: 150.00 mm ± 2.00 mm STICK MATERIAL: ALLUMINIUM
		SPECIFICATIONS
САР	ORANGE CAP	EXTERNAL DIAMETER: 12.20 mm ± 0.10 mm CAP LENGTH: 32.50 mm ± 0.20 mm INSERTION DIAMETER: 9.30 mm + 0.05 mm MATERIAL: HIGH DENSITY POLYETHYLENE

PACKAGING SPECIFICATION

OUTER BOX QTY	500
PACKAGING	FILM-FILM POUCH
VI-PAK QUANTITY	50

This bulletin (Rev.03-29/06/2020) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.

DB PR01.2



TECHNICAL DATA SHEET

IMPORTANT INFO

STERILIZATION METHOD	GAMMA IRRADIATION
STORAGE TEMPERATURE	5/25°C-DO NOT FREEZE
SHELF LIFE	15 MONTHS
MEDIUM pH	7.2 ± 0.3

This bulletin (Rev.03-29/06/2020) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.