
 <b>greiner bio-one</b> Page 1 / 1	<b>SAFETY DATA SHEET</b> acc. to ISO 11014, 29 CFR 1910.1200	 <b>greiner bio-one</b> A AN SOP 04.03.02-500 Rev.00 Valid from: 09/22/2014	
	<b>VACUETTE® Safety Blood Collection Set Plus Blood Culture Holder</b>		
	<small>GREINER Bio-One GmbH, Bad Haller Straße 32, A-4550 Kremsmünster</small>		

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

- **Product Name:** VACUETTE® Safety Blood Collection Set Plus Blood Culture Holder
- **Manufacturer/Supplier:**  
**AUSTRIA**  
 Greiner Bio-One GmbH  
 Bad Haller Strasse 32  
 A-4550 Kremsmünster,  
 Tel: (++43) 7583 6791-0  
 Fax: (++43) 7583 6318  
 Email: office@at.gbo.com

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

- **Description:**

Name	Material
Holder, adapter, butterfly	Different plastic materials
Needle	Stainless steel
Sleeve	Synthetic rubber compound

## SECTION 3 – SECTION 15: HAZARDS IDENTIFICATION - REGULATORY INFORMATION

The above Product is classified as an “article” under the OSHA Hazard Communication Standard and does not require the SECTIONS 3 to 15 of the MSDS acc. to ISO 11014:1994 .

The OSHA Hazard Communication Standard defines an article as a manufactured item:

- Which is formed to a specific shape or design during manufacture;
- Which has end use function(s) dependent in whole or in part upon its shape or design during end use;
- Which does not release, or otherwise result in exposure to a hazardous chemical, under normal conditions of use.

## SECTION 16: OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Greiner Bio-One nor any of its subcontractors or suppliers assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.